ELSEVIER

Journal of Electron Spectroscopy and Related Phenomena 88–91 (1998) vii–xiv

JOURNAL OF ELECTRON SPECTROSCOPY and Related Phenomena

Contents

Special Issue: ICES 7 — Proceedings of the Seventh International Conference on Electron Spectroscopy, Chiba, Japan, 8–12 September 1997, edited by S. Masuda, N. Ueno and J.-J. Pireaux

Atoms and Molecules

Decay and dissociation dynamics of core-excited polyatomic molecules*
K. Ueda (Sendai, Japan) 1
Angular distributions of 1s photoelectrons from fixed-in-space molecules as a probe of shape resonances*
E. Shigemasa (Ibaraki-ken, Japan) 9
Vibrational fine structure on the core level photoelectron lines of small polyatomic molecules*
M. Neeb, B. Kempgens, A. Kivimäki, H.M. Köppe, K. Maier, U. Hergenhahn, M.N. Piancastelli, A. Rüdel and A.M. Bradshaw (Berlin, Germany) 19
Dynamics and coherence of resonant X-ray Raman scattering*
F. Gel'mukhanov and H. Ågren (Linköping, Sweden) 29
Femtosecond photoelectron spectroscopy of the photodissociation of Au_3^-*
G. Ganteför, S. Kraus and W. Eberhardt (Jülich, Germany) 35
Photoelectron spectroscopy studies of hollow lithium states*
F.J. Wuilleumier, S. Diehl, D. Cubaynes, J.-M. Bizau (Orsay, France) and E.T. Kennedy (Dublin, Ireland) 41
Electron emission from PH_2 produced via fast dissociation of core-excited PH_3
K. Ueda, Y. Muramatsu, H. Chiba, Y. Sato (Sendai, Japan) and E. Shigemasa (Tsukuba, Japan) 53
Dichroism in (e,2e) ionizing collisions with laser-oriented sodium atoms
J. Berakdar, A. Dorn, A. Elliott, J. Lower and E. Weigold (Canberra, Australia) 59
Multi-charged rare gas ions measured with a coincidence technique
N. Saito and I.H. Suzuki (Ibaraki, Japan) 65
Ionic fragmentation of inner-shell excited molecules
A.P. Hitchcock, J.J. Neville (Hamilton, Canada), A. Jürgensen and R.G. Cavell (Edmonton, Canada) 71
Electron impact core excitation of molecules: non-dipole spectroscopy and generalized oscillator strengths
A.P. Hitchcock, I.G. Eustatiu, J.T. Francis (Hamilton, Canada) and C.C. Turci (Rio de Janeiro, Brazil) 77
High resolution L Auger electron spectra from fast projectile ions studied by zero-degree electron spectroscopy
K. Kawatsura (Kyoto, Japan), M. Sataka, S. Kitazawa (Ibaraki, Japan), K. Komaki, Y. Yamazaki, T. Azuma (Tokyo, Japan), Y. Kanai (Saitama, Japan), M. Imai (Kyoto, Japan), H. Shibata (Tokyo, Japan), H. Tawara (Nagoya, Japan), J.E. Hansen (Amsterdam, The Netherlands), I. Kadar and N. Stolterfoht (Berlin, Germany) 83
Electron spectra from fast projectile Si and S ions studied by zero-degree electron spectroscopy
K. Kawatsura, M. Imai (Kyoto, Japan), M. Sataka, S. Kitazawa (Ibaraki, Japan), K. Komaki, Y. Yamazaki, T. Azuma, H. Shibata (Tokyo, Japan), Y. Kanai (Saitama, Japan), H. Tawara (Nagoya, Japan) and N. Stolterfoht (Berlin, Germany) 87
He I and He II photoelectron spectra of γ-thionobutyrolactones and γ-butyrolactones
J.F. Pan, W. Huang, W.S. Chin, H.H. Huang and C.Y. Mok (Kent Ridge, Singapore) 91
He I and He II photoelectron spectra of thiophenones
W.S. Chin, Z.P. Xu, C.Y. Mok, H.H. Huang (Kent Ridge, Singapore), H. Mutoh and S. Masuda (Tokyo, Japan) . . . 97
Experimental and theoretical investigation of aluminium, gallium and indium tris-acetylacetonates ground, excited and ionized states nature
A.Yu. Ustinov, V.I. Vovna and O.M. Ustinova (Vladivostok, Russian Federation) 103
The photoelectron spectroscopy and electronic structure of metal β-diketonates and their analogs
V.I. Vovna, I.B. Lvov, S.N. Slabzhennikov and A.Yu. Ustinov (Vladivostok, Russian Federation) 109
Electronic structure of some bis-β-diketonates of zinc and their thio-analogs
A.Yu. Ustinov, V.V. Korochentzev and V.I. Vovna (Vladivostok, Russian Federation) 119
Observation of van der Waals vibrations in zero kinetic energy (ZEKE) photoelectron spectra of toluene–Ar van der Waals complex
H. Inoue, S. Sato and K. Kimura (Ishikawa, Japan) 125

* Invited paper.

Zero kinetic energy (ZEKE) photoelectron study of the benzene–N_2 and fluorobenzene–N_2 van der Waals complexes
H. Shinohara, S. Sato, K. Yoshihara and K. Kimura (Ishikawa, Japan) 131
ZEKE photoelectron spectroscopy and ab initio force-field calculation of 1,2,4,5-tetrafluorobenzene
S. Sato, K. Ikeda and K. Kimura (Ishikawa, Japan) 137
Two-dimensional Penning ionization electron spectrum of N_2 by collision with $He^*(2^3S)$ metastable atoms
N. Kishimoto, M. Furuhashi and K. Ohno 143
Penning ionization of cobaltocene by collision with $He^*(2^3S)$ metastable atoms
H. Tanaka (Sendai, Japan), H. Yamakado (Wakayama, Japan) and K. Ohno (Sendai, Japan) 149
Collision energy resolved Penning ionization electron spectra of polycyclic aromatic hydrocarbons
M. Yamauchi, Y. Yamakita (Sendai, Japan), H. Yamakado (Wakayama, Japan) and K. Ohno (Sendai, Japan) 155

Magnetism and Dichroism

Spin-resolved photoemission of ferromagnetic Ni valence band*
A. Kakizaki (Tsukuba, Japan) 163
Spin polarized photoemission from amorphous alloy surfaces*
J.A.D. Matthew (York, UK), E.A. Seddon (Warrington, UK) and Y.B.O. Xu (Leeds, UK) 171
Spin-dependent electron dynamics investigated by means of time- and spin-resolved photoemission
M. Aeschlimann, R. Burgermeister, S. Pawlik, M. Bauer, D. Oberli and W. Weber (Zürich, Switzlerland) 179
The dependence of dichroism in VUV-photoemission on the optical properties of adsorbates: Cs-monolayer on W(110)
G.H. Fecher, A. Oelsner, M. Schicketanz and G. Schönhense (Mainz, Germany) 185
Magnetic dichroism in angle resolved photoemission of ferromagnetic nickel
S. Ueda, S. Imada (Osaka, Japan), Y. Saitoh (Hyogo, Japan), T. Muro, M. Kasashima (Osaka, Japan), A. Kimura, A. Kakizaki (Tokyo, Japan) and S. Suga (Osaka, Japan) 191
MCD in 2*p* and 3*p* XAS of Mn–Zn ferrite
S. Imada (Toyonaka, Japan), A. Kimura (Tsukuba, Japan), T. Muro, S. Suga (Toyonaka, Japan) and T. Miyahara (Tokyo, Japan) 195
Analysis of temperature-dependent spin-resolved photoemission of Ni(110) by a single-particle model
M. Sawada, A. Kimura, A. Kakizaki and J. Fujii (Tokyo, Japan) 201
Spin- and angle-resolved photoemission spectroscopy of ferromagnetic MnAs
K. Shimada (Higashi-Hiroshima, Japan), O. Rader, A. Fujimori, A. Kimura, K. Ono, N. Kamakura, A. Kakizaki, M. Tanaka (Tokyo, Japan) and M. Shirai (Osaka, Japan) 207
Observation of circular dichroism in angular distribution of the valence band photoelectron from Si(001) in UPS region
K. Nakatsuji (Osaka, Japan), H. Daimon (Ikoma, Japan), T. Furuhata, H. Takagi, M. Fujikawa, S. Suga (Osaka, Japan), T, Miyahara (Tokyo, Japan), A. Yagishita (Tsukuba, Japan), C.-H. Solterbeck and W. Schattke (Kiel, Germany) 213
Circular dichroism in the angular distribution of core-level photoelectrons from GaAs (111)
M. Kamada, Y.Q. Cai, N. Takahashi, S.-i. Tanaka (Okazaki, Japan) and D.A. Woolf (Cardiff, UK) 219
Surface preparation and spin-resolved photoemission of epitaxial MnSb(0001) films on GaAs(111)
O. Rader, A. Kimura, N. Kamakura, K.-S. An, A. Kakizaki (Tokyo, Japan), S. Miyanishi, H. Akinaga (Ibaraki, Japan), M. Shirai (Toyonaka, Japan), K. Shimada and A. Fujimori (Tokyo, Japan) 225
Spin- and angle-resolved photoelectron spectroscopy from ferromagnetic Ni(110), Ni(110)-p(2×1)O and Ni(110)-c(2×2)S
S. Qiao, A. Kimura, M. Sawada and A. Kakizaki (Tokyo, Japan) 229

Electronic Properties of Solids

Ni 2*p* resonant photoelectron spectra of some planar nickel complexes
Y. Takata, T. Hatsui and N. Kosugi (Okazaki, Japan) 235
Resonant L_3–$M_{4,5}N_{4,5}$ Auger electron spectroscopy as a probe for the local electronic structure in Pd_xAg_{1-x} alloys
T.M. Grehk, W. Drube, G. Materlik (Hamburg, Germany), J.E. Hansen (Amsterdam, The Nethelands) and T.K. Sham (London, Canada) 241
Quantitative electron momentum spectroscopy of aluminum films
S. Canney (Adelaide, Australia), A. Kheifets, M. Vos and E. Weigold (Canberra, Australia) 247
Large-cluster effects on core-level photoemission spectra of quasi-one-dimensional copper compounds
K. Okada (Okoyama, Japan) and A. Kotani (Tokyo, Japan) 255
Calculation of electron-energy-loss spectra for 3s → 3d excitation in transition metal oxides
H. Ogasawara and A. Kotani (Tokyo, Japan) 261
X-ray photoelectron spectroscopy study of indirect exchange interaction in orthoniobate lanthanoids $LnNbO_4$
Yu.A. Teterin, T.N. Bondarenko, A.Yu. Teterin, A.M. Lebedev and I.O. Utkin (Moscow, Russia) 267
The XPS spectra of cerium compounds containing oxygen
Yu.A. Teterin, A.Yu. Teterin, A.M. Lebedev and I.O. Utkin (Moscow, Russia) 275

Electronic structures of $Nd_{1-x}Sr_xMnO_3$, $La_{1-x}Sr_xMnO_3$ and La_{1-x} Ca_xMnO_3 studied by photoemission and inverse photoemission spectroscopy
Y. Kuwata, S. Suga, S. Imada, A. Sekiyama, S. Ueda, T. Iwasaki, H. Harada, T. Muro, T. Fukawa, S. Ashida, H. Yoshioka, T. Terauchi, J. Sameshima (Toyonaka, Japan), H. Kuwahara, Y. Moritomo (Tsukuba, Japan) and Y. Tokura (Tokyo, Japan) 281
Two-dimensional angle-resolved resonance photoelectron spectroscopy of 1*T*-TaS_2
T. Okuda (Osaka, Japan), H. Daimon (Nara, Japan), K. Nakatsuji, M. Kotsugi, S. Suga (Osaka, Japan), Y. Tezuka, S. Shin, T. Hasegawa and K. Kitazawa (Tokyo, Japan) 287
Soft X-ray emission spectroscopy of NiAs-type MnTe at the Mn 2p core threshold
T. Kotsugi, H. Sato, S. Senba, H. Okuda (Higashi-Hiroshima, Japan), Y. Ueda (Kure, Japan), M. Taniguchi (Higashi-Hiroshima, Japan), Y. Harada, S. Shin (Tokyo, Japan), A. Tanaka and T. Jo (Higashi-Hiroshima, Japan) 293
Simultaneous measurements of photoelectron and luminescence of barium halides
M. Kamada (Okazaki, Japan), S. Fujiwara, O. Arimoto (Okayama, Japan), Y. Fujii (Osaka, Japan) and S. Tanaka (Okazaki, Japan) 297
Photoemission and inverse-photoemission study of ferromagnetic valence fluctuating system $CeFe_2$
T. Konishi, K. Mamiya, K. Morikawa, K. Kobayashi, T. Mizokawa, A. Fujimori (Tokyo, Japan), F. Iga (Higashi-Hiroshima), H. Kawanaka, Y. Nishihara (Ibaraki, Japan) and A. Delin and O. Eriksson (Uppsala, Sweden) 303
High resolution resonance photoemission, XPS and inverse photoemission spectroscopy of CePdX (X = As, Sb)
T. Iwasaki, S. Suga, S. Imada, Y. Kuwata, T. Muro, S. Ueda, M. Saeki, H. Harada, M. Tsunekawa, T. Matsushita (Osaka, Japan), A. Sekiyama, A. Fujimori, H. Ishii, T. Kimura, T. Miyahara (Tokyo, Japan), T. Suzuki (Sendai, Japan), K. Katoh (Yokosuka, Japan) and A. Ochiai (Niigata, Japan) 308
Correlated electronic states of Yb_4As_3 studied with photoemission
S. Suga, H. Harada, T. Iwasaki, T. Muro, T. Matsushita, A. Sekiyama, S. Imada, H. Daimon (Osaka, Japan), H. Ishii, A. Fujimori (Tokyo, Japan), A. Ochiai (Niigata, Japan) and T. Suzuki (Miyagi, Japan) 315
Fe 3p–3d Fano resonances in CdTe(111)/Fe and $Cd_{1-x}Fe_xTe$
E. Guziewicz, B.J. Kowalski, B.A. Orlowski (Warsaw, Poland), J. Ghijsen, Yu. Li-Ming (Namur, Belgium) and R.L. Johnson (Hamburg, Germany) 321
Resonant photoemission study of rare earth 4f states in $Sn_{1-x}Gd_xTe$
B.J. Kowalski (Warszawa, Poland), J. Ghijsen (Namur, Belgium), Z. Golacki, E. Guziewicz, T. Story, M. Arciszewska, B.A. Orlowski (Warszawa, Poland) and R.L. Johnson (Hamburg, Germany) 327
Electronic structure of chromium chalcogenides
H. Sato (Higashi-Hiroshima), M. Koyama (Kure, Japan), K. Takada, H. Okuda, K. Shimada (Higashi-Hiroshima, Japan), Y. Ueda (Kure, Japan), J. Ghijsen and M. Taniguchi (Higashi-Hiroshima, Japan) 333
Satellites in core level XPS spectra of the Fe-based systems
I.N. Shabanova, A.N. Maratkanova and V.A. Sosnov (Izhkevsk, Russia) 339
Application of the XPS method to the study of relaxation processes in transition metal melts
I.N. Shabanova, A.V. Kholzakov and A.G. Ponomarev (Izhkevsk, Russia) 343
Angle-resolved photoemission study of quantized electronic structures on Ag nanofilms
K. Takahashi, A. Tanaka, M. Hatano, H. Sasaki, S. Suzuki and S. Sato (Sendai, Japan) 347
X-ray photoelectron spectroscopy study of uranium compounds
S. Fujimori, Y. Saito, K. Yamaki (Sendai, Japan), Y. Haga (Ibaraki, Japan), Y. Ōnuki (Osaka, Japan), N. Sato, T. Komatsubara, S. Suzuki and S. Sato (Sendai, Japan) 353
Theoretical study on photoemission spectra of ferromagnetic manganese pnictides
M. Shirai and Y. Tokioka (Toyonaka, Japan) 357
Resonance and high-resolution photoemission study of CoS_2
T. Muro, A. Kimura, T. Iwasaki, S. Ueda, S. Imada, T. Matushita, A. Sekiyama, T. Susaki, K. Mamiya (Tokyo, Japan), T. Harada, T. Kanomata (Miyagi, Japan) and S. Suga (Osaka, Japan) 361
Photoemission and inverse-photoemission study of ferromagnetic MnSb thin film grown by hot-wall epitaxy
S. Senba, K. Mimura, K. Shimada, M. Nakatake, H. Sato, H. Namatame and M. Taniguch (Higashi-Hiroshima, Japan) 365
4*d* Core-level resonant photoemission spectroscopy of thulium monochalcogenides around the Tm 3*d* threshold
K.G. Nath, Y. Ufuktepe, S. Kimura, T. Kinoshita (Okazaki, Japan), H. Kumigashira, T. Takahashi, T. Matsumura, T. Suzuki (Sendai, Japan), H. Ogasawara and A, Kotani (Tokyo, Japan) 369
Resonant photoemission studies of thulium monochalcogenides around the Tm 3*d* threshold
T. Kinoshita, Y. Ufuktepe, K.G. Nath, S. Kimura (Okazaki, Japan), H. Kumigashira, T. Takahashi, T. Matsumura, T. Suzuki (Sendai, Japan), H. Ogasawara and A. Kotani (Tokyo, Japan) 377
The peculiarities of the crystal and electronic structure of the zirconolite-type compounds $Ln_2Ti_2O_7$ (Ln = Rare Earth Elements)
V.V. Nemoshkalenko, V.N. Uvarov, S.V. Borisenko, A.I. Senkevich and T.N. Bondarenko (Kiev, Ukraine) 385
High-resolution and low-temperature photoemission study of a Kondo insulator
Y. Takeda, M. Arita, H. Sato, K. Shimada, H. Namatame, M. Taniguchi, K. Katoh, F. Iga and T. Takabatake (Higashi-Hiroshima, Japan) 391

X-ray photoemission and bremsstrahlung isochromat spectroscopy of bulk single crystalline Si_xGe_{1-x} alloys
Y. Saito, S. Fujimori, S. Suzuki, S. Sato, T. Honda and M. Suezawa (Sendai, Japan) 395
2p–3d resonant photoemission in Ti metal
T. Kaurila (Turku, Finland), R. Uhrberg (Linköping, Sweden) and J. Väyrynen (Turku, Finland) 399
Ni 2p excitation spectra of some planar Ni complexes
T. Hatsui, Y. Takata, N. Kosugi (Okazaki, Japan), K. Yarnamoto, T. Yokoyama, T. Ohta (Tokyo, Japan) 405
Photoemission and inverse-photoemission study of CeNiSn
T. Konishi, K. Kobayashi, K. Mamiya, T. Mizokawa, S. Nohara, A. Fujimori (Tokyo, Japan) and T. Takabatake (Higashi-Hiroshima, Japan) 411
Inverse photoemission and soft X-ray emission spectra of Al-Ni-Co decagonal single quasicrystal
K. Soda, K. Nozawa, Y. Yanagida, U. Mizutani (Nagoya, Japan), Y. Yokoyama (Himeji, Japan), R. Note, A. Inoue (Sendai, Japan), H. Ishii, Y. Tezuka and S. Shin (Tokyo, Japan) 415
Effects of Coster–Kronig decay on Ce 3*d*-4*f* resonant photoemission spectra of $CeOs_2$
H. Ishii, T. Kimura, T. Miyahara, T. Hanyu (Tokyo, Japan), T. Iwasaki, S. Ueda, M. Tsunekawa, T. Nakatani, T. Matsushita, S. Imada, H. Daimon, S. Suga (Osaka, Japan), A. Sekiyama, A. Fujimori (Tokyo, Japan), H. Namatame, M. Taniguchi (Higashi-Hiroshima), A. Kimura, H. Sugawara, Y. Aoki and H. Sato (Tokyo, Japan) 419
Mn 2p–3d resonant photoemission spectroscopy of MnY (Y = S, Se, Te)
H. Sato, S. Senba, H. Okuda, M. Nakatake, A. Furuta (Higashi-Hiroshima, Japan), Y. Ueda (Kure, Japan), M. Taniguchi, A. Tanaka and T. Jo (Higashi-Hiroshima, Japan) 425
Measurement of the 2p XPS spectra of 4d metals: Nb to Sb
A. de Siervo, R. Landers, S.G.C. de Castro and G.G. Kleiman (Campinas, Brazil) 429
Energy shifts and electronic structure changes in alloys: an unfulfilled promise?
G.G. Kleiman and R. Landers (Campinas, Brazil) 435
Electronic structure of ternary transition metal oxides and sulphides: X-ray photoelectron and X-ray emission spectroscopy study
E.Z. Kurmaeva (Ekaterinburg, Russia), S. Bartkowski, M. Neumann (Osnabrück, Germany), S. Stadler, D.L. Ederer (New Orleans, LA, U.S.A.), V.R. Galakhov, Yu.M. Yarmoshenko, I.V. Solovyev, S.N. Shamin, V.A. Trofimova and D.A. Zatsepin (Ekaterinburg, Russia) 441
XPS study of electronic structure change of the Fe–Cr system at temperatures below the brittleness threshold
N.S. Terebova, I.N. Shabanova and T.M. Makhneva (Izhevsk, Russian Federation) 449
XPS study of transition metal electronic structure in crystalline and liquid states
I.N. Shabanova, A.V. Kholzakov and V.S. Kraposhin (Izhevsk, Russia) 453
Electron-energy-loss spectroscopy of cadmium fluoride
K. Iizumi, K. Saiki, A. Koma (Tokyo, Japan) and N.S. Sokolova (St. Petersburg, Russian Federation) 457
Angle-resolved photoemission spectroscopy of $SrCUO_2$: spin–charge separation?
H. Fujisawa, T. Yokoya, T. Takahashi (Sendai, Japan), M. Tanaka, M. Hasegawa (Tokyo, Japan) and H. Takei (Osaka, Japan) 461
Electronic structures of phosphates studied by TEY-XANES and resonant AES
N. Okude, H. Noro, M. Nagoshi (Kawasaki, Japan), H. Yamamoto, Y. Baba (Ibaraki, Japan) and T.A. Sasaki (Hyogo, Japan) 467

Superconducting Materials

Fermi surface of Sr_2RuO_4 studied by two-dimensional angle resolved photoelectron spectroscopy
T. Okuda (Osaka, Japan), H. Daimon (Nara, Japan), M. Kotsugi, K. Nakatsuji, M. Fujikawa, S. Suga (Osaka, Japan), Y. Tezuka, S. Shin (Tokyo, Japan), M. Kasai (Ibaraki, Japan) and Y. Tokura (Tokyo, Japan) 473
Analysis of photoelectron spectra of high-temperature superconductors
E.R. Likhachev, O.I. Dubrovskii, S.I. Kurganskii and E.P. Domashevskaya (Voronezh, Russia) 479
X-ray photoelectron study of the electronic structure of Y–Ba–Cu–O HTSC thin films in dependence on their composition and temperature
I.N. Shabanova, O.V. Popova, V.I. Kormilets, N.N. Nebogatikov and V.I. Kukuev (Izhevsk, Russia) 485
Symmetry analysis of the Fermi surface of $Bi_2Sr_2CaCu_2O_8$ by display analyzer
M. Kotsugi, H. Daimon, K. Nakatsuji, T. Okuda, T. Furuhata, M. Fujikawa, H. Takagi (Osaka, Japan), Y. Tezuka, S. Shin (Tokyo, Japan), K. Kitahama, T. Kawai and S. Suga (Osaka, Japan) 489
Energy relaxation and dephasing times of excited electrons in $Bi_2Sr_2CaCu_2O_{8+\delta}$ from interferometric 2-photon time-resolved photoemission
W. Nessler, S. Ogawa, H. Nagano, H. Petek (Saitama, Japan), J. Shimoyama, Y. Nakayama and K. Kishio (Tokyo, Japan) 495
XPS and XANES study on $Pb_2Sr_2YCu_3O_{8+\delta}$ and $PbBaSr(YCa)Cu_3O_{7+\delta}$
M. Nagoshi (Kawasaki, Japan), A. Tokiwa-Yamamoto (Tokyo, Japan), Y. Syono (Sendai, Tokyo), Y. Fukuda (Hamamatsu, Japan) and M. Tachiki (Tsukuba, Japan) 503

Photoelectron Diffraction, Electron Diffraction, etc.

The influence of the photoelectron elastic scattering on the photoelectron diffraction patterns, in-depth profiling and thin films thickness determination
V.I. Nefedov and I.S. Fedorova (Moscow, Russia) 509
Principles of crystallography using Bragg reflection from atomically localized sources
S. Omori, H. Ishii and Y. Nihei (Tokyo, Japan) 517
Theory of thermal factors in photoelectron diffraction for strongly anharmonic systems
T. Miyanaga (Aomori, Japan) and T. Fujikawa (Chiba, Japana) 523
Theory of damping in forward scattering photoelectron diffraction due to thermal spherical wave effects
T. Fujikawa, K. Nakayama (Chiba, Japan) and T. Yanagawa (Yokohama, Japan) 527
Dimer structure of clean Si(001) surface studied by grazing-incidence back-scattering MEED
T. Abukawa, T. Shimatani, M. Kimura, Y. Takakuwa, N. Muramatsu, T. Hanano, T. Goto, W.R.A. Huff and S. Kono (Sendai, Japan) 533
Anomalous diffraction effect on the surface core-level photoemission from Si(001)2 × 1–Cs surface
T. Abukawa (Sendai, Japan), L.S.O. Johansson (Dortmund, Germany), E.L. Bullock (Lausanne, Switzerland), L. Patthey (Uppsala, Sweden) and S. Kono (Sendai, Japan) 539
Surface structure of thin CaO layers formed on CaF_2(111) studied by photoelectron diffraction
H. Ishii, S. Tanigawa, S. Shiraki, T. Nakama, S. Omori (Tokyo, Japan), H. Shimada, M. Imamura, N. Matsubayashi, A. Nishijima (Ibaraki, Japan) and Y. Nihei (Tokyo, Japan) 545
Test solution of the inverse problem for the determination of pair correlation function in the secondary electron extended fine structure technique
D.E. Guy, A.N. Deev, D.V. Surnin, Yu.V. Ruts (Izhevsk, Russia), V.I. Grebennikov and O.B. Sokolov (Ekaterinburg, Russia) 551
Application of the electron energy loss fine structure technique to the investigation of the Al–Ag binary system
V.A. Shamin, A.H. Kadikova, A.N. Deev and Yu.V. Ruts (Izhesvk, Russia) 557
Scattering states for very low energy electron spectroscopy
C. Solterbeck, O. Tiedje, F. Starrost and W. Schattke (Kiel, Germany) 563
Nitrogen adsorption on a W(100) surface studied by an analysis of electron energy-loss fine structure
K. Ota, M. Tanaka (Yokohama, Japan) and S. Usami (Atsugi, Japan) 571

Electronic States of Solid Surfaces

Temperature dependence of surface state lifetimes, dephasing rates and binding energies on Cu(111) studied with time-resolved photoemission*
E. Knoesel, A. Hotzel and M. Wolf (Berlin, Germany) 577
Two-photon photoemission study of CO/Pt(111)
T. Anazawa (Okazaki, Japan), I. Kinoshita (Yokohama, Japan) and Y. Matsumoto (Kanagawa, Japan) 585
Two-photon photoemission from benzene adsorbed on Cu(111)
T. Munakata, T. Sakashita and K. Shudo (Saitama, Japan) 591
Electronic structure of a Pt(111)–Ge surface alloy and adsorbed CO
K. Fukutani, T.T. Magkoev, Y. Murata, M. Matsumoto, T. Kawauchi, T. Magome, Y. Tezuka and S. Shin (Tokyo, Japan) 597
Resonant Auger electron spectroscopy for analysis of the chemical state of phosphorus segregated at SiO_2/Si interfaces
M. Oshima, Y. Yoshimura, K. Ono, H. Fujioka, Y. Sato (Tokyo, Japan), Y. Baba, K. Yoshii and T.A. Sasaki (Ibaraki, Japan) 603
InP(100)-(2 × 4) surface electronic structure studied by angle-resolved photoelectron spectroscopy
W.R.A. Huff (Sendai, Japan), M. Shimomura, N. Sanada, G. Kaneda, T. Takeuchi, Y. Suzuki (Hamamatsu, Japan), H.W. Yeom (Tokyo, Japan), T. Abukawa, S. Kono (Sendai, Japan) and Y. Fukuda (Hamamatsu, Japan) 609
Surface electronic structure of InAs(100)1*x*2/1*x*4-Pb
G. Le Lay, V.Yu. Aristov, J.M. Layet, M. Carrère (Marseille, France), R. Belkhou (Orsay, France), H.J. Kim and R.L. Johnson (Hamburg, Germany) 613
UPS study of electronic states of Ba on Si(001) surface
Y. Takeda, T. Ohtani, K. Ojima, T. Urano and S. Hongo (Kobe, Japan) 619
X-Ray photoemission study of Pr/noble metals (Ag, Au) and Pr/transition metals (Ni, Pd)
Y. Saito, S. Fujimori, S. Suzuki and S. Sato (Sendai, Japan) 625
The electronic structure of U/Si(100), studied by X-ray photoelectron spectroscopy
S. Fujimori, Y. Saito, K. Yamaki (Sendai, Japan), T. Okane (Hyogo, Japan), N. Sato, T. Komatsubara, S. Suzuki and S. Sato (Sendai, Japan) 631
Angle-resolved photoemission study of the surface electronic structure on NdB_6(110) clean surface
A. Tanaka, K. Tamura, H. Tsunematsu, K. Takahashi, M. Hatano, S. Suzuki, S. Sato and S. Kunii (Sendai, Japan) 637
Work function of polycrystalline Ag, Au and Al
M. Uda, A. Nakamura, T. Yamamoto and Y. Fujimoto (Tokyo, Japan) 643
A self-consistent optical potential theory for atoms in solids
T. Fujikawa, K. Hatada (Chiba, Japan), T. Yikegaki (Ayase, Japan) and L. Hedin (Stuttgart, Germany) 649

Accurate density functional calculations of core XPS spectra: simulating chemisorption and intermolecular effects on real systems?
C. Bureau (Gif-sur-Yvette, France) and D.P. Chong (Vancouver, Canada) 657
Electronic structures in the valence region of chemisorbed and physisorbed species on Pd(110)
J. Yoshinobu, M. Kawai (Wako, Japan), S. Tanaka, K. Watanabe, Y. Matsumoto and M. Kamada (Kanagawa, Japan) 665
Photoemission study of benzene adsorbed on Si surfaces
Y. Taguchi, Y. Ohta, T. Katsumi, K. Ichikawa and O. Aita (Osaka, Japan) 671
Positron annihilation induced Auger electron spectroscopy with an intense slow-positron beam
T. Ohdaira, R. Suzuki, T. Mikado and T. Yamazaki (Ibaraki, Japan) 677
Tunable high-energy X-ray photoemission
W. Drube, T.M. Grehk, R. Treusch and G. Materlik (Hamburg, Germany) 683
Observation of the surface states on CuCl(100)
S. Tanaka and M. Kamada (Okazaki, Japan) 689
Annealing temperature dependence on the electronic structure of the reduced $SrTiO_3$ (111) surface
Y. Haruyama, Y. Aiura, H. Bando, Y. Nishihara and H. Kato (Tsukuba, Japan) 695
Electronic structure of Si(113)2 × 2–Cs surface studied by ARUPS
K.S. An, C.C. Hwang, C.Y. Park (Suwon, South Korea), N. Kamakura, A. Kimura, A. Kakizaki (Tokyo, Japan) and S. Suga (Osaka, Japan) 701
One-dimensional band-like electronic states on Ni(755) surfaces studied by angle-resolved ultraviolet photoelectron spectroscopy using synchrotron radiation
H. Namba (Shiga, Japan), K. Yamamoto, T. Ohta (Tokyo, Japan) and H. Kuroda (Chiba, Japan) 707
Surface core-level shifts of Si(111)7 × 7: a critical evaluation of the Si 2*p* analysis
G. Le Lay (Marseille, France), A. Cricenti, C. Ottaviani, C. Håkansson, P. Perfetti (Frascati, Italy) and K. C. Prince (Trieste, Italy) 711
Electronic structure investigation of Ag(110)/1 × 2-O surface
R. Ozawa, Y. Gunji, D. Sekiba, H. Nakamizo and H. Fukutani (Ibaraki, Japan) 717
Characterization of LiF and CaF_2 surfaces using MIES and UPS (HeI)
D. Ochs, M. Brause, S. Krischok, P. Stracke, W. Maus-Friedrichs (Clausthal, Germany), V. Puchin (Riga, Latvia), A. Popov (Kengaraga, Latvia) and V. Kempter (Clausthal, Germany) 725
Cesium core level binding energy shifts at the O_2/Cs/Si(113) surface
C.C. Hwang, K.S. An, R.J. Park, J.S. Kim, J.B. Lee, C.Y. Park, S.B. Lee (Suwon, Korea), A. Kimura and A. Kakizaki (Tokyo, Japan) 733
Elastic and inelastic contributions to the angular intensity anisotropy of electron emission
S. Valeri, A. di Bona, A. Borghi and G.C. Gazzadi (Modena, Italy) 741

Adsorption and Surface Reactions

In situ observation of thermal and photon-induced reactions on Si surfaces by ultraviolet photoelectron spectroscopy*
Y. Takakuwa, T. Yamaguchi, T. Hori, T. Horie, Y. Enta (Sendai, Japan), H. Sakamoto (Yokohama, Japan), H. Kato (Tsukuba, Japan) and N. Miyamoto (Sendai, Japan) 747
Interaction of small molecules with Mg and MgO surfaces studied with MIES and UPS(HeI)
D. Ochs, M. Brause, W. Maus-Friedrichs and V. Kempter (Clausthal, Germany) 757
XAS and XPS studies on molecular and dissociative adsorption of nitric oxide on Rh
T. Saito, F. Esaka, K. Furuya (Tokyo, Japan), T. Kikuchi (Yamaguchi, Japan), M. Imamura, N. Matsbayashi and H. Shimada (Ibaraki, Japan) 763
Successive change in work function of Al exposed to air
M. Uda, Y. Nakagawa, T. Yamamoto, M. Kawasaki, A. Nakamura, T. Saito (Tokyo, Japan) and K. Hirose (Kanagawa, Japan) 767
Real time observation of coadsorption layers of acetylene/CO and acetylene/O on Ru(001) using a temperature-programmed ESDIAD/TOF system
T. Sasaki, Y. Itai and Y. Iwasawa (Tokyo, Japan) 773
Time-resolved core-level photoelectron spectroscopy on Sb-terminated GaAs(001) under Sb supply control at growth temperature
F. Maeda, Y. Watanabe (Kanagawa, Japan) 779
Surface analysis of Si/W multilayer using total reflection X-ray photoelectron spectroscopy
J. Kawai, K. Hayashi, H. Amano (Kyoto, Japan), H. Takenaka (Tokyo, Japan) and Y. Kitajima (Tsukuba, Japan) .. 787
Fundamental processes of radiation damage of benzene solid studied by Auger electron photoion coincidence spectroscopy
I. Shimoyama, T. Mochida, Y. Otsuki, H. Horiuchi, S. Saijyo, K. Nakagawa (Kobe, Japan), M. Nagasono, S. Tanaka and K. Mase (Okazaki, Japan) 793
O_2 adsorption on clean and K-modified ZrC(111) surfaces
K. Ozawa, T. Fukunaga, T. Nakane, T. Noda and K. Edamoto (Tokyo, Japan) and S. Otani (Ibaraki, Japan) 801
Adsorption of methanol on TiC(100) and (111) surfaces
K. Edamoto, T. Nakane, T. Noda, K. Ozawa (Tokyo, Japan) 805

Electron spectroscopic study of the interaction of WC(0001) with different adsorbates (C_6H_6, CO and NO)
J. Brillo, R. Sur, H. Kuhlenbeck and H.-J. Freund (Berlin, Germany) 809
High-resolution XAS spectrum of interstitial nitrogen molecules in the surface oxide matrix of TiAlN film
F. Esaka (Tokyo, Japan), H. Shimada, M. Imamura, N. Matsubayashi (Ibaraki, Japan), T. Kikuchi (Yamaguchi, Japan) and K. Furuya (Tokyo, Japan) 817

Carbon, Organic and Polymer Materials

Photoemission studies of functional organic materials and their interfaces*
K. Seki and H. Ishii (Nagoya, Japan) 821
Photon stimulated ion desorption of condensed acetonitrile molecules induced by core excitation
T. Sekitani, E. Ikenaga, H. Matsuo (Higashi-Hiroshima, Japan), S. Tanaka, K. Mase (Okazaki, Japan) and K. Tanaka (Higashi-Hiroshima) 831
Photon stimulated ion desorption of deuterated polystyrene thin films induced by core excitation
K. Fujii, T. Sekitani, K. Tanaka (Higashi-Hiroshima, Japan), S. Yamamoto, K.K. Okudaira, Y. Harada (Chiba, Japan) and N. Ueno (Okazaki, Japan) 837
Ultraviolet photoelectron spectra of a higher fullerene C_{102} and its potassium complex
K. Umishita, K. Iwasaki, S. Hino (Chiba, Japan), T. Miyamae (Aichi, Japan), K. Kikuchi and Y. Achiba (Tokyo, Japan) 843
Characterization of self-assembled monolayer of thiophenol on gold by Penning ionization electron spectroscopy
A. Abduaini, S. Kera (Chiba, Japan), M. Aoki (Tokyo, Japan), K. Okudaira (Chiba, Japan), N. Ueno and Y. Harada (Okazaki, Japan) 849
On the impact of electron spectroscopies (versus optical techniques) to study organized organic layers and their interfaces
R. Magnée, Z. Mekhalif, C. Doneux, A.-S. Duwez, C. Gregoire, J. Riga, J. Delhalle and J.J. Pireaux (Namur, Belgium) 855
Photoemission and inverse photoemission studies on a thin film of *N*, *N'*-dimethylperylene-3,4,9,10-bis(dicarboximide)
N. Sato, H. Yoshida and K. Tsutsumi (Kyoto, Japan) 861
Attempt to pile up extrathin sashlike macromolecules (atomic sashes)
H. Ozaki, T. Magara (Tokyo, Japan) and Y. Mazaki (Kanagawa, Japan) 867
Angle-resolved UPS study and simulation with IAC approximation for oriented monolayer of tetratetracontane (*n*-$C_{44}H_{90}$) on Cu(100)
D. Yoshimura, H. Ishii, Y. Ouchi, E. Ito (Nagoya, Japan), T. Miyamae, S. Hasegawa, N. Ueno (Aichi, Japan) and K. Seki (Chiba, Japan) 875
High-resolution electron energy loss spectroscopy of chloroaluminum phthalocyanine ultrathin films
Y. Azuma, T. Yokota, S. Kera (Chiba, Japan), M. Aoki (Tokyo, Japan), K.K. Okudaira, Y. Harada and N. Ueno (Chiba, Japan) 881
Penning ionization electron spectroscopy of titanyl phthalocyanine ultrathin films: electronic state and molecular orientation
S. Kera, A. Abduaini (Chiba, Japan), M. Aoki (Tokyo, Japan), K. Okudaira, N. Ueno, Y. Harada (Chiba, Japan), Y. Shirota and T. Tsuzuki (Yamadaoka, Japan) 885
Comparison between calculated and measured photoemission spectra of C_{60} thin films
S. Hasegawa, T. Miyamae, K. Yakushi, H. Inokuchi (Okazaki, Japan), K. Seki (Nagoya, Japan) and N. Ueno (Chiba, Japan) 891
SiC islands grown on Si(111)-(7 × 7) and Si(001)-(2 × 1) surfaces by C_{60} precursor
K. Sakamoto, M. Harada, H. Ashima, T. Suzuki, T. Wakita, A. Kasuya and S. Suto (Sendai, Japan) 897
Ultraviolet photoelectron spectroscopy of poly(anthraquinone)s and poly(1,10-phenanthroline-3,8-diyl); their electronic structure and K-doped states
T. Miyamae, M. Aoki (Okazaki, Japan), H. Etori, Y. Muramatsu, Y. Saito, T. Yamamoto (Yokohama, Japan), Y. Sakurai, K. Seki (Nagoya, Japan) and N. Ueno (Chiba, Japan) 905
Radiation damage of poly(methylmethacrylate) thin films analyzed by UPS
K.K. Okudaira, E. Morikawa, S. Hasegawa, P.T. Sprunger, V. Saile (Baton Rouge, LA, USA), K. Seki (Nagoya, Japan), Y. Harada and N. Ueno (Chiba, Japan) 913
Surface analysis of CVD carbon using NEXAFS, XPS and TEM
J. Kikuma, K. Yoneyama, M. Nomura, T. Konishi, T. Hashimoto (Shizuoka, Japan), R. Mitsumoto, Y. Ohuchi and K. Seki (Nagoya, Japan) 919
Study of polycyclic aromatic hydrocarbons in the solid state by collision energy resolved Penning ionization electron spectroscopy
H. Yamakado (Wakayama, Japan), Y. Sawada, H. Shinohara and K. Ohno (Sendai, Japan) 927
Penning ionization electron spectroscopy of atomic tape: an extrathin superstructure constructed by intramonolayer hydrogen bonds on a solid surface
H. Ozaki, M. Kasuga (Tokyo, Japan), S. Kera (Chiba, Japan), M. Aoki (Tokyo, Japan), H. Tsukuda (Yokohama, Japan), R. Suzuki (Tokyo, Japan), N. Ueno, Y. Harada (Chiba, Japan) and S. Masuda (Tokyo, Japan) 933
X-Ray photoemission study of an organic quasi-1D DCNQI-Cu salt
A. Sekiyama, A. Fujimori, S. Aonuma, R. Kato (Tokyo, Japan), T. Iwasaki, S. Suga (Osaka, Japan), H. Ishii (Tokyo, Japan), T. Matsushita (Osaka, Japan) and T. Miyahara (Tokyo, Japan) 939

Surface characterization of polymer modified by He-ion bombardment
A. Nakao, Y. Suzuki, M. Kaibara (Saitama, Japan), T. Tsukamoto (Tokyo, Japan) and M. Iwaki (Saitama, Japan) . 945

Practical Materials

XPS comparative study of ceria/zirconia mixed oxides: powders and thin films characterization
A. Galtayries, R. Sporken, J. Riga (Namur, Belgium), G. Blanchard (Aubervilliers, France) and R. Caudano (Namur, Belgium) 951
Electronic states and optical properties of β-SiC containing paired antisite defects
G. Cubiotti (Messina, Italy), Yu. Kucherenko, A. Yaresko, A. Perlov and V. Antonov (Kiev, Ukraine) 957
USXES investigations of thin film $TiSi_2$
E.P. Domashevskaya, Yu.A. Yurakov, D.M. Bodnar and V.M. Kashkarov (Voronezh, Russia) 963
XPS, USXS and PLS investigations of porous silicon
E.P. Domashevskaya, V.M. Kashkarov, E.Yu. Manukovskii (Voronezh, Russia), A.V. Shchukarev (St. Petersburg, Russia) and V.A. Terekhov (Voronezh, Russia) 969
Peculiarities of the electronic structure of the utlra disperse calcium hydroxyapatite
A.P. Shpak, V.L. Karbovskii and V.V. Trachevskii (Kiev, Ukraine) 973
X-ray photoelectron spectroscopic investigation of metallorganic complexes
V.I. Kodolov, E.A. Tchirkova, S.G. Bystrova, I.N. Shabanova, O.V. Popova and S.N. Babushkina (Izhevsk, Russia) . 977

Spectromicroscopy

Fast elemental mapping and magnetic imaging with high lateral resolution using a novel photoemission microscope
Ch. Ziethen, O. Schmidt, G.H. Fecher, C.M. Schneider, G. Schönhense (Mainz, Germany), R. Frömter, M. Seider (Halle, Germany), K. Grzelakowski, M. Merkel (Hünstetten-Görsroth, Germany), D. Funnemann (Taunusstein, Germany), W. Swiech (Urbana, USA), H. Gundlach (Berlin, Germany) and J. Kirschner (Halle, Germany) 983
Ag + Au bilayers on Si(111) studied with scanning photoemission microscopy
M. Marsi, S. Günther, A. Kolmakov, J. Kovac, L. Casalis, L. Gregoratti, D. Lonza and M. Kiskinova (Trieste, Italy) . 991
Electronic structure near the Fermi level and STM images of Pd(110)c(4 × 2)-benzene
J. Yoshinobu, M. Kawai (Wako, Japan), I. Imamura, F. Marumo, R. Suzuki, H. Ozaki, M. Aoki, S. Masuda (Tokyo, Japan), S. Tanaka, M. Kamada (Okazaki, Japan) and M. Aida (Tokyo, Japan) 997
Adsorption of π-bonded ethylene and ethynyl on Pd(110): an STM study
S. Ichihara, J. Yoshinobu, H. Ogasawara, M. Nantoh, M. Kawai (Saitama, Japan) and K. Domen (Yokohama, Japan) 1003
Chemical microanalysis by selected-area ESCA using an electron energy filter in a photoemission microscope
O. Schmidt, Ch. Ziethen, G.H. Fecher (Mainz, Germany), M. Merkel, M. Escher (Hünstetten-Görsroth, Germany), D. Menke, U. Kleineberg, U. Heinzmann (Bielefeld, Germany) and G. Schönhense (Mainz, Germany) 1009
High-resolution photoemission combined with low-temperature STM
H. Hövel (Dortmund, Germany), T. Becker, D. Funnemann (Taunusstein, Germany), B. Grimm, C. Quitmann and B. Reihl (Dortmund, Germany) 1015

Instrumentation, Technique and Methodology

Design of an input lens system for a 180° deflection toroidal analyser using trajectory simulation
S. Shiraki, H. Ishii, M. Owari and Y. Nihei (Tokyo, Japan) 1021
High-resolution photon detection system for inverse-photoemission spectroscopy
M. Nakatake, Y. Okamura, S. Akiyama, H. Namatame and M. Taniguchi (Higashi-Hiroshima, Japan) 1027
Apparatus for studying decay and dissociation of core excited molecules
Y. Shimizu, K. Nagao (Sendai, Japan), K. Ueda (Tsukuba, Japan), M. Takahashi, H. Chiba, S. Yanagida, M. Okunishi, K. Ohmori, Y. Sato (Sendai, Japan), T. Hayaishi (Tsukuba, Japan) and K.J. Ross (Southampton, UK) 1031

Author Index 1037

Subject Index 1043